

POLICY BRIEF

Pediatric Primary Care and Oral Health

**Most Medicaid children are not receiving recommended
oral health assessments and treatments**

SUGGESTED CITATION:

Tranby, Eric P., Ohrenberger, Kelli, Boynes, Sean G. *Pediatric Primary Care and Oral Health: Most Medicaid children are not receiving recommended oral health assessments and treatments*. Boston, MA: CareQuest Institute for Oral Health, August 2019. DOI:10.35565/CQI.2019.1002
Copyright ©2021 CareQuest Institute for Oral Health, Inc.



As evidence regarding the link between oral health and systemic health continues to grow, there has been an increasing emphasis on integrating oral health care into the pediatric primary care setting and improving the coordination of care within interprofessional health teams.¹⁻⁴ The American Academy of Pediatrics and the American Academy of Pediatric Dentistry recommend that primary care providers perform oral health assessments, that medical care teams administer topical fluoride varnish, especially in the absence of a dental home, and that primary care providers refer patients to a dental home by one year of age or at first tooth eruption. Additionally, the benefits of oral health interprofessional practice with achieving the triple or quadruple aim have been expressed in prior research.^{1-2,5-10} Given the importance of oral health during primary care, this research brief is provided evaluating well-child medical visits and oral health services.

Data from the IBM Watson Medicaid MarketScan® database of medical and dental claims from 13 de-identified states, was utilized for the analysis. In 2017, 7 percent of the approximately 1.5 million children ages 5 and younger who had a well-child visit (WCVs) received an oral health assessment during a well-child visit. As seen in Figure 1, this is an increase from 6 percent in 2013.

Oral health assessments at a well-child visit are important because children that receive an oral health assessment are also likely to get other oral health care or utilize a dental preventive encounter.⁶ In 2017, 97% of those who had an oral health assessment during a well-child visit also had fluoride applied at that visit; and 25% were identified with a non-traumatic dental condition that was previously undiagnosed. These are increases from 95% and 16%, respectively, in 2013 (Figure 2). The benefits of fluoride varnish administration have been evaluated in peer-reviewed literature with caries inhibiting effectiveness being reported.¹¹⁻¹² Additionally, earlier diagnosis or findings of dental disease have resulted in children having more preventive visits as they age, experience less dental surgical intervention and lower dentally related costs, as well as, results in better quality of life.^{9,13-16}

Figure 1: Medicaid Enrolled Children, Ages 0-5, Receiving a Oral Health Assessment During a Well-Child Visit





Figure 2: Medicaid Enrolled Children, Ages 0-5, Receiving Dental Treatment During a Oral Health Assessment at a Well-Child Visit



Evaluation

The available research, including this brief, observes that WCVs that integrate oral health can expand preventive care and result in earlier intervention, uncover oral health disease, and increase topical fluoride varnish opportunities. However, the overall prevalence of WCVs that include oral health assessments during early well-child medical visits is low. The lower occurrence of integrated appointments can relate to several factors that fragment and stagnate interprofessional practice and the delivery of holistic care. The most common barriers reported include:^{2,4,7,17-25}

- lack of interoperable health information technology,
- limited primary medical care curriculum within dental education,
- the capacity of primary and dental care teams,
- limited oral health education during medical and behavioral health training,
- poorly established dental referral and consultative networks for medical teams,
- and a dichotomized financial reimbursement structure between medicine and dentistry.

While challenges persist in bringing together the different disciplines of U.S. healthcare, successful oral health integration and coordination has been reported. Effective interprofessional programs indicate a higher level of functionality and ease of use for electronic health records, dependable referral networks, a data and quality-driven approach to care delivery, understood and shared proprietorship, as well as a policy and financial environment that allows for expanded scope of practice and payment or savings for those preventions and interventions.^{1-3,7-9} The limited use of oral health prevention during well-child visits found in this analysis paired with the demonstrated success of interprofessional programs designed to overcome challenges cited in the evidence, emphasize the opportunity for expanded interprofessional efforts. These efforts can lead to better outcomes for all, with better well-being for children and decreased costs for public insurance programs.

Authors

Eric P. Tranby, PhD

Manager, Data and Impact, Analytics and Evaluation
CareQuest Institute for Oral Health

Kelli Ohrenberger, MA

Director, Interprofessional Practice
CareQuest Institute for Oral Health

Sean Boynes, DMD, MS

Vice President, Health Improvement
CareQuest Institute for Oral Health

Acknowledgements

The authors would like to thank Ms. Molly Fubel and Ms. Vuong Diep for their careful review of this brief and Mr. Ilya Okunev for contributions to the analysis.

Methodology

Data used in this brief comes from an analysis of the IBM Watson Medicaid Marketscan® database, 2013 and 2017, a representative Medicaid claims database. Well-child visits are coded using ICD-9 codes V202-V203, V700, V705-706, and V708; ICD-10 codes Z00121, Z00129, Z00110-Z00111, Z005, Z0070-Z0071, Z008, Z020-Z026, Z0282, Z0289; and CPT codes 99381-99385, 99391-99395, 99432 99461.

Oral health assessments are captured using ICD-9 codes V722-V732, ICD-10 Codes Z0120-Z0121, and CDT codes D0120-D0160. Fluoride Application is captured using CDT codes D1206 and D1208. Dental diagnoses are captured using ICD-9 codes 5200-5299, 78492, 7924, V523, V534, V585 and ICD-10 codes A690, K000-K149, M260-M279, R6884, R859, Z463-Z464.

References

1. McKernan SC, Kuthy R, Tuggle L, Garcia DT. Medical dental integration in public health settings: an environmental scan. http://ppc.uiowa.edu/sites/default/files/ced_environmental_scan.pdf. [Accessed: July 20, 2019.]
2. Harnagea H, Couturier Y, Shrivastava R, Girard F, Lamothe L, Bedos CP, Emami E. Barriers and facilitators in the integration of oral health into primary care: a scoping review. *BMJ Open*. 2017; 7(9):e016078. doi: 10.1136/bmjopen-2017-016078
3. Atchison KA, Weintraub JA, Rozier RG. Bridging the dental-medical divide: Case studies integrating oral health care and primary health care. *J Am Dent Assoc*. 2018; 149:850-858. doi: 10.1016/j.adaj.2018.05.030
4. Boynes SG, Davis L, Adams G, Mills M, Deutchman M. MORE care: narrowing the rural interprofessional oral health care gap. Boston; DentaQuest Institute, 2017. https://www.dentaquestpartnership.org/sites/default/files/Initiating_Rural_IPOHNS_Closing_the_Gap_6.5.19-v2.pdf. [Accessed: July 20, 2019.]
5. Hale KJ. Oral health risk assessment timing and establishment of the dental home. *Pediatrics*. 2003; 111 (5 pt 1):1113– 1116. doi: 10.1542/peds.111.5.1113
6. Tiwari T, Rai N, Brow A, Tranby EP, Boynes SG. Association between medical well-child visits and dental preventive visits: A big data report. *JDR Clin Trans Res*. 2019; Apr:2380084419841850. doi: org/10.1177/2380084419841850
7. Boynes SG, Heyward CC, Kenney C, Lauer-Kelly A, Nelson J, Ohrenberger K, Vesichio C, Diep V, Martin AB. Narrowing the rural oral healthcare gap: the 2017 rural interprofessional oral health practice symposium. *BMC Oral Health*. 2018; 18:212. doi: 10.1186/s12903-018-0671-7.
8. Chi DL, Momany ET, Jones MP, Kuthy RA, Askelson NM, Wehby GL, Damiano PC. Relationship between medical well baby visits and dental examinations for young children in Medicaid. *Am J Public Health*. 2013; 103:346-354. doi: 10.2105/AJPH.2012.300899
9. Lee JY, Bouwens TJ, Savage MF, Vann WF Jr. Examining the cost-effectiveness of early dental visits. *Pediatr Dent*. 2006; 28:102-105.
10. Nasseh K, Vujicic M, Gick M. The relationship between periodontal interventions and healthcare claims database. *Health Economics*. 2016; 26:519-527. doi: 10.1002/hec.3316.
11. Marinho VC, Worthington HV, Walsh T, Clarkson JE. Fluoride varnishes for preventing dental caries in children and adolescents. *Cochrane Database of Systematic Reviews*. 2013(7). doi: 10.1159/000486426.
12. Weyant RJ, Tracy SL, Anselmo TT, Beltrán-Aguilar ED, Donly KJ, Frese WA, Hujoel PP, Iafolla T, Kohn W, Kumar J, Levy SM. Topical fluoride for caries prevention. *J Am Dent Assoc*. 2013 Nov 1;144(11):1279-91. DOI: 10.14219/jada.archive.2013.0057.
13. Savage, M. F., Lee, J. Y., Kotch, J. B., & Vann, W. F. (2004). Early preventive dental visits: effects on subsequent utilization and costs. *Pediatrics*, 114(4), e418-e423.
14. Ismail AI, Nainar SM, Sohn W. Children's first dental visit: attitudes and practices of U.S. pediatricians and family physicians. *Pediatr Dent*. 2003;25:425–30.
15. Ramos-Jorge, J., Alencar, B. M., Pordeus, I. A., Soares, M. E. D. C., Marques, L. S., Ramos-Jorge, M. L., & Paiva, S. M. (2015). Impact of dental caries on quality of life among preschool children: emphasis on the type of tooth and stages of progression. *Eur J Oral Sci*, 123(2), 88-95.
16. Corrêa-Faria, P., Paixão-Gonçalves, S., Paiva, S. M., Martins-Júnior, P. A., Vieira-Andrade, R. G., Marques, L. S., & Ramos-Jorge, M. L. (2016). Dental caries, but not malocclusion or developmental defects, negatively impacts preschoolers' quality of life. *Int J Paediatr Dent*, 26(3), 211-219.
17. Park S, Mormany ET, Jones MP, Kuthy RA, Askelson NM, Wehby GL, Damiano PC, Chi DL. The effects of medical well baby visits in promoting earlier first dental visits for children. *JDR Clin Trans Res*. 2018; 3:91-100. doi: 10.1177/2380084417728237
18. Glick AD, Savageau JA, Flick TA, Lord CB, Harvan RA, Silk H. Integrating oral health: Physician assistant education in 2017. *J Phys Asst Edu*. 2019; 30:93-100. doi: 10.22454/FamMed.2018.435186
19. National Research Council. Improving access to oral health care for vulnerable and underserved populations. *National Academies Press*; 2012 Jan 5. <https://www.nap.edu/resource/13116/oralhealthaccess2011reportbrief.pdf>. [Accessed: July 20, 2019.]
20. Bernstein J, Gebel C, Vargas C, Geltman P, Walter A, Garcia RI, Tinanoff N. Integration of oral health into the well-child visit at federally qualified health centers: study of 6 clinics. *Prev Chronic Disease*. 2016; 12:E58. doi: 10.5888/pcd13.16006
21. Dalal M, Clark M, Quinonez RB. How to integrate oral health into pediatric primary care: Part 1. *Contemp Pediatr*. 2019; 36(1).
22. Douglass JM, Clark MB. Integrating oral health into overall health care to prevent early childhood caries: need, evidence and solutions. *Pediatr Dent*. 2015; 37:266-274.
23. Miloro MB, Vujicic M. Physicians dissatisfied with current referral process to dentists. Health Policy Institute Research Brief. American Dental Association. 2016 Mar. https://oralhealth.hsds.harvard.edu/files/oralhealth/files/ada_hpi_referral_brief.pdf. [Accessed: July 20, 2019.]
24. Deutchman M, Douglass J, Douglass A. Smiles for life: a national oral health curriculum. *Dent Abstr* 2011; 56:4-16. WB Saunders.
25. Atchison KA, Rozier RG, Weintraub JA. Integration of Oral Health and Primary Care: communication, coordination and referral. NAM Perspectives. 2018 Oct 8. <https://nam.edu/integration-of-oral-health-and-primary-care-communication-coordination-and-referral/>. [Accessed: July 20, 2019.] doi: 10.31478/201810e

CareQuest Institute for Oral Health

CareQuest Institute for Oral Health® is a national nonprofit championing a more equitable future where every person can reach their full potential through excellent health. We do this through our work in grantmaking, research, health improvement programs, policy and advocacy and education as well as our leadership in dental benefits, care delivery and innovation advancements. We collaborate with thought leaders, health care providers, patients and local, state and federal stakeholders, to accelerate oral health care transformation and create a system designed for everyone. To learn more, visit carequest.org.

This report and others are available at carequest.org.